SECTION 1. IDENTIFICATION

GHS PRODUCT IDENTIFIER: NexxChem ProRxx Grease & Oil Remover

OTHER MEANS OF IDENTIFICATION: ProRxx Grease&Oil Remover

PRODUCT CODE: PR350-Q12
PR350-G4
PR350-P5

PRODUCT TYPE: Industrial Degreaser/Cleaning product/Alkali

IDENTIFIED USES: Concrete Cleaning

SUPPLIER / MANUFACTURER: NexxChem,LLC
407 South 17th St., Clear Lake, IA 50428
641-357-1455

EMERGENCY TELEPHONE NUMBER WITH HOURS OF OPERATION 641-357-1455

SECTION 2. HAZARDS IDENTIFICATION

OSHA/MCS STATUS:

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE:

Carcinogenicity	Category 2
Serious Eye Damage/Eye Irritation	Category 1
Flammable Liquid	Category 3
Skin Corrosion/Irritation	Category 2
Specific Target Organ Toxicity-Repeated Exposure	Category 2

GHS LABEL ELEMENTS

HAZARD PICTOGRAMS:

SIGNAL WORD: Danger

HAZARD STATEMENTS:
H226 - Flammable liquid and vapor
H315 - Causes skin irritation.
H318 - Causes serious eye damage
H351 - Suspected of causing cancer
H373 - May cause damage to organs through prolonged or repeated exposew

PRECAUTIONARY STATEMENTS

PREVENTION:
P201 - Obtain special instructions before use
P202 - Do not handle until all safety precautions have been read and under stood
P210 - Keep away from heat, hot surfaces, sparks, open flames and other igni tion sources. No smoking
P233 - Keep container tightly closed
P240 - Ground/bond container and receiving equipment
P241 - Use explosion-proof electrical/ventilating/lighting equipment

PREVENTION:

P242 - Use only non-sparking tools
P243 - Take precautionary measures against static discharge
P260 - Do not breathe dust/fume/gas/mist/vapors/spray
P264 - Wash hands thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.
P273 - Avoid release to the environment
P280 - Wear protective gloves/protective clothing/eye protection/face protec tion
P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER/doctor phys- ician
P302 + P352 - IF ON SKIN:Wash with plenty of water
P303 +P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313 - IF exposed or concernted: Get medical advice/attention
P312 - Call a POISON CENTER/doctor/physician if you feel unwell
P321 - Specific treatment (see first aid section on this label)
P330 - Rinse mouth
P332 + P313 - If skin irritation occurs: get medical advice/attention
P337 + P313 - If eye irritation persists: get medical advice/attention
P362 + P364 - Take off contaminated clothing and wash it before reuse
P370 + P378 - In case of fire: Use appropriate method to extinguish
P403 + P235 - Store in a well ventilated place. Keep cool

RESPONSE:

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER/doctor phys- ician
P302 + P352 - IF ON SKIN:Wash with plenty of water
P303 +P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313 - IF exposed or concernted: Get medical advice/attention
P312 - Call a POISON CENTER/doctor/physician if you feel unwell
P321 - Specific treatment (see first aid section on this label)
P330 - Rinse mouth
P332 + P313 - If skin irritation occurs: get medical advice/attention
P337 + P313 - If eye irritation persists: get medical advice/attention
P362 + P364 - Take off contaminated clothing and wash it before reuse
P370 + P378 - In case of fire: Use appropriate method to extinguish
P403 + P235 - Store in a well ventilated place. Keep cool

STORAGE: P405 - Store locked up.

DISPOSAL: P501 - Dispose of contents/container in accordance with local/regional/national international regulations

HAZARDS NOT OTHERWISE CLASSIFIED (NHOC): None known.

Notice to reader: To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist..

© Copyright May 2019. All Rights Reserved.
NexxChem, ProRxx, RestorRxx and MossBuster are registered trademarks of NexxChem LLC.

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

MATERIAL	CAS#	%
Alcohol Ethoxy sulfate	9004-82-4	2.5-10%
Alkanolamide	68603-42-9	2.5-10%
2-butoxyethanol	111-76-2	2.5-10%
Primary alkane sulfonate	5324-84-5	2.5-10%
Sodium hydroxide	1310-20-5	1-2.5%
Lauramine oxide	1643-20-5	1-2.5%
Ethyl alcohol	64-17-5	1-2.5%
Ethanolamines, 2,2-iminobisethanol	111-42-2	1-2.5%

Any concentration shown as a range is to protect confidentiality or is due to batch variation. There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8.

SECTION 4. FIRST AID MEASURES

DESCRIPTION OF NECESSARY FIRST AID MEASURES

EYE CONTACT: Do not permit victim to rub eyes. Immediately flush eyes with water. Flush eyes with water for a minimun of 15 minutes, occasionally lifting and lowering upper lids. Get medical attention promptly. Remoce contact lenses if worn.

INHALATION: Rescuers should put on appropriate protective gear.Remove from area of exposure. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Keep victim warm. Get immediate medical attention.

SKIN CONTACT: Immediately flush skin with plenty of water. Remove clothing. Get medical attention immediately. Wash clothing separately and clean shoes before reuse.

INGESTION: Small amounts which accidentally enter mouth should be rinsed out until taste is gone. Do not induce vomitting. Do not give liquids. Obtain emergency medical attention. To prevent aspiration, keep head below knees.

MOST IMPORTANT SYMPTOMS. EFFECTS, ACUTE AND DELAYED POTENTIAL ACUTE HEALTH EFFECTS

EYE CONTACT: Irritating to the eyes.

INHALATION: Prolonged inhalation of product vapors may cause irritation of the respiratory system.

SKIN CONTACT: Can be irritating to the skin.

INGESTION: Harmful if swallowed.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: No evidence of aggravation of existing medical conditions.

OVER-EXPOSURE SIGNS/SYMPTOMS

EYE CONTACT: Adverse symptoms may include the following: Pain, watering, redness.

INHALATION: No Known significant effects or critical hazards.

SKIN CONTACT: Adverse symptoms may include the following; pain or irritation, redness, blistering may occur.

INGESTION: Adverse symptoms may include the following: stomach pains.

Notice to reader: To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist..

© Copyright May 2019. All Rights Reserved.
NexxChem, ProRxx, RestorRxx and MossBuster are registered trademarks of NexxChem LLC.

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED, IF NECESSARY

NOTES PHYSICIAN:	Symptomatic treatment is advised. Contact poison control treatment specialist immediately if arge quantities have been ingested.
SPECIFIC TREATMENTS:	No specific treatment.
PROTECTION OF FIRST-AIDERS:	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. See toxicological information (Section 11).

SECTION 5. FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING MEDIA:	Dry Chemical or CO2
UNSUITABLE EXTINGUISHING MEDIA:	None known.
UNUSUAL FIRE AND EXPLOSION HAZARDS:	None reported.
HAZARDOUS THERMAL DECOMPOSITION PRODUCTS:	Decomposition products may include the following materials: carbon dioxide, carbon monoxide.
SPECIAL PROTECTIVE EQUIPMENT/ INSTRUCTION FOR FIRE-FIGHTERS:	Full protective gear and self containing breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

FOR NON-EMERGENCY PERSONNEL:	No action shall be taken involving any personal risk or without suitable training. Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not breath vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on protective equipment.
FOR EMERGENCY RESPONDERS:	If specialized clothing is required to deal with spillage take note of any information in Section 8 on suitable and unsuitable materials. See also the information in “For Non-Emergency Personnel” above.
ENVIRONMENTAL PRECAUTIONS:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN UP

SMALL SPILL:	Small spills may be flushed to a sanitary sewer with large amounts of water. All Federal, State and Local regulations that apply must be observed.
LARGE SPILL:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or processed as follows: Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations 9see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: See Section 13 for waste disposal.

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

Notice to reader: To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist..

© Copyright May 2019. All Rights Reserved.
NexxChem, ProRxx, RestorRxx and MossBuster are registered trademarks of NexxChem LLC.

PROTECTIVE MEASURES: Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. If during normal use, the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

ADVICE ON GENERAL OCCUPATIONAL HYGIENE: Eating drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures. Remove contaminated clothing and protective equipment before entering eating areas.

CONDITIONS FOR SAFE STORAGE INCLUDING ANY INCOMPATIBILITIES: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

OCCUPATIONAL EXPOSURE LIMITS

INGREDIENT NAME	EXPOSURE LIMITS
2-Butoxyethanol	ACGIH TLV (United States, 3/2015). TWA: 20 ppm 8 hours. NIOSH REL (United States, 10/2013). Absorbed through skin. TWA: 24 mg/m^3 10 hours. TWA: 5 ppm 10 hours. OSHA PEL (United States, 2/2013). Absorbed through skin. TWA: 240 mg/m^3 8 hours. TWA: 50 ppm 8 hours. OSHA PEL 1989 (United States, 3/1989). Absorbed through skin. TWA: 25 ppm 8 hours. TWA: 120 mg/m^3 8 hours.
Sodium Hydroxide	OSHA (PEL): 2mg/m3 ACGIH (TLV): 2mg/m3

EXPOSURE CONTROLS

APPROPRIATE ENGINEERING CONTROLS: If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

INDIVIDUAL PROTECTION MEASURES PREVENTATIVE AND HYGIENE MEASURES: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Notice to reader: To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist..

© Copyright May 2019. All Rights Reserved.
NexxChem, ProRxx, RestorRxx and MossBuster are registered trademarks of NexxChem LLC.

INDIVIDUAL PROTECTION MEASURES EYE/FACE/RESPIRATORY PROTECTION:

EYE PROTECTION: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

SKIN PROTECTION-HAND: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

SKIN PROTECTION-BODY: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

SKIN PROTECTION-OTHER: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

RESPIRATORY PROTECTION: Use a properly fitted air-purifying or supplied air respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

ENVIRONMENTAL EXPOSURE CONTROLS: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Green
PHYSICAL STATE:	Liquid
ODOR:	Slight
ODOR THRESHOLD:	NA
PH:	11-12
MELTING POINT:	NA
FREEZING POINT:	NA
BOILING POINT:	NA
FLASH POINT:	>200 ºF (93 ºC)
EVAPORATION RATE:	NA
FLAMMABILITY (SOLID,GAS):	Not established.
LOWER AND UPPER EXPLOSIVE:	NA
VAPOR PRESSURE:	NA
VAPOR DENSITY:	NA
DENSITY (H^2O = 1):	1.06 @ 68 ºF (20 ºC)
SOLUBILITY:	100% by wt.
PARTITION COEFFICIENT N-OCTANOL/WATER:	NA

Notice to reader: To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist..

© Copyright May 2019. All Rights Reserved.
NexxChem, ProRxx, RestorRxx and MossBuster are registered trademarks of NexxChem LLC.

AUTO-IGNITION TEMPERATURE:	Not established.
DECOMPOSITION TEMPERATURE:	NA
VISCOSITY:	NA
PERCENT SOLIDS BY WEIGHT:	NA
VOLATILE ORGANIC COMPOUNDS (VOC):	<0.1% by ASTM D2369

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY:	NA
CHEMICAL STABILITY:	Stable under normal conditions.
POSSIBILITY OF HAZARDOUS REACTIONS:	NA
CONDITIONS TO AVOID:	NA
INCOMPATIBLE MATERIALS:	Acids, Oxidizing and reducing agents.
HAZARDOUS DECOMPOSITION PRODUCTS:	By high heat and fire: carbon dioxide, carbon monoxide.
HAZARDOUS POLYMERIZATION:	Will not occur.

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY

PRODUCT/INGREDIENT NAME	RESULT	SPECIES	DOSE	EXPOSURE
Benzenesulfonic acid, C10-16-alkyl derivs.	LD50 Dermal	Rabbit	2000 mg/kg	—
2- Butoxyethanol	LD50 Oral IC50 Inhalation Vapor LD50 Dermal LD50 Oral	Rat Rat Rabbit Rat	775 mg/kg 450 ppm 220 mg/kg 250 mg/kg	— 4 hours — —

IRRITATION/CORROSION:

PRODUCT/INGREDIENT NAME	RESULT	SPECIES	SCORE	EXPOSURE	OBSERVATION
2- Butoxyethanol	Eyes - Moderate irritant Eyes - Severe irritant Skin - Mild irritant	Rabbit Rabbit Rabbit	— — —	24 hours 100 mg 100mg 500 mg	— — —

CARCINOGENICITY

CLASSIFICATION

PRODUCT/INGREDIENT NAME	OSHA	IARC	NTP	ACGIH	EPA	NIOSH
2-Butoxyethanol	—	3	—	A3	—	—

SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE):	NA
SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE):	NA
ASPIRATION HAZARD:	NA

POTENTIAL ACUTE HEALTH EFFECTS

EYE CONTACT:	Irritating to the eyes.
INHALATION:	Prolonged inhalation of product vapors may cause irritation of the respiratory system.

Notice to reader: To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist..

© Copyright May 2019. All Rights Reserved.
NexxChem, ProRxx, RestorRxx and MossBuster are registered trademarks of NexxChem LLC.

SKIN CONTACT: Can be irritating to the skin.

INGESTION: Harmful if swallowed.

SYMPTOMS RELATED TO THE PHYSICAL, CHEMICAL AND TOXICOLOGICAL CHARACTERISTICS

EYE CONTACT: Pain, watering, redness.

INHALATION: No known significant effects or critical hazards.

SKIN CONTACT: Pain or irritation, redness, blistering may occur.

INGESTION: Stomach pain.

DELAYED AND IMMEDIATE EFFECTS AND ALSO CHRONIC EFFECTS FROM SHORT AND LONGER TERM EXPOSURE

SHORT TERM EXPOSURE

POTENTIAL IMMEDIATE EFFECTS: No known significant effects or critical hazards.

POTENTIAL DELAYED EFFECTS: No known significant effects or critical hazards.

LONG TERM EXPOSURE

POTENTIAL IMMEDIATE EFFECTS: No known significant effects or critical hazards.

POTENTIAL DELAYED EFFECTS: No known significant effects or critical hazards.

POTENTIAL CHRONIC HEALTH EFFECTS

GENERAL: No known significant effects or critical hazards.

CARCINOGENICITY: No known significant effects or critical hazards.

MUTAGENICITY: No known significant effects or critical hazards.

TERATOGENICITY: No known significant effects or critical hazards.

DEVELOPMENTAL EFFECTS: No known significant effects or critical hazards.

FERTILITY EFFECTS: No known significant effects or critical hazards.

NUMERICAL MEASURES OF TOXICITY

ACUTE TOXICITY ESTIMATES

ROUTE	ATE VALUE
Oral Dermal Inhalation (vapors)	1725.2 mg/kg 2111.2 µg/kg 135.9 µg/l

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY

PRODUCT/INGREDIENT NAME	RESULT	SPECIES	EXPOSURE
2- Butoxyethanol	Acute EC50 >1000 mg/L Fresh water Acute LC50 800000to 1000000 mg/L Marine water Acute LC50 1,250,000 mg/L Marine water	Daphnia - Daphnia magna Crustaceans - Crangon crangon Fish - Menidia beryllina	48 hours 48 hours 96 hours

PERSISTANCE DEGRADABILITY: NA

BIOACCUMULATIVE POTENTIAL

PRODUCT/INGREDIENT NAME	$LogP_{ow}$	BCF	POTENTIAL
2- Butoxyethanol	0.81	—	low

Notice to reader: To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist..

© Copyright May 2019. All Rights Reserved.
NexxChem, ProRxx, RestorRxx and MossBuster are registered trademarks of NexxChem LLC.

MOBILITY IN SOIL: NA

SECTION 13. DISPOSAL CONSIDERATIONS

DISPOSAL METHODS: WASTE DISPOSAL METHOD: Waste must be disposed of in accordance with federal state and local environmental control regulations.

RCRA HAZARD CLASS: If discarded in its purchased form, this product would not be a hazardous waste either by listing or characteristic

SECTION 14. TRANSPORTATION INFORMATION

	US DOT (Domestic Surface)	CANADIAN TDG	ICAO/IATA Air Transportation	IMO/IMDG Water Transportation
Proper Shipping Name	Not Regulated.	NA	Not Regulated.	NA

SECTION 15. REGULATORY INFORMATION

FEDERAL REGULATIONS

U.S. FEDERAL REGULATIONS:

TSCA (TOXIC SUBSTANCE CONTROL ACT): Listed

CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT): None

RCRA STATUS:

SARA TITLE III: (SUPERFUND AMENDMENTS & REAUTHORIZATION ACT)

SARA 311/312 HAZARD CATEGORIES: Immediate (acute) health hazard

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
2-Butoxyethanol	1-5	Yes	No	No	Yes	No

SARA 313 TOXIC CHEMICALS: None

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

STATE REGULATIONS

CALIFORNIA PROP. 65 NA

MA None of the components are listed

NY The following components are listed: sodium hydroxide.

NJ The following components are listed: sodium hydroxide, 2-Butoxyethanol.

PA The following components are listed: sodium hydroxide.

CANADIAN REGULATIONS

CEPA DSL:

WHMIS CLASSES: D2B: Material causing other toxic effects.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

Notice to reader: To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist..

NexChem
407 South 17th St., Clear Lake, IA 50428 • 614-357-1455 • www.nexxchem.com

© Copyright May 2019. All Rights Reserved.
NexxChem, ProRxx, RestorRxx and MossBuster are registered trademarks of NexxChem LLC.